

Details

Meeting: Healthy Floodplains Review Committee Meeting

Location: Via Microsoft Teams

Date/time: Wednesday 17 March 2021
9.00am – 3.00pm

Chairperson: [REDACTED]

People present

Committee:

1. [REDACTED], Independent Chair of the Healthy Floodplains Review Committee
2. [REDACTED], NSW Nature Conservation Council representative and landholder, Mudgee
3. [REDACTED], NSW Irrigators Council representative, local irrigator and landholder, Moree
4. [REDACTED], Landholder from the Liverpool Plains

Guests:

5. [REDACTED], Policy Environment, NSW Farmers Association

DPIE-Water Healthy Floodplains:

6. [REDACTED], Principal Project Officer
7. [REDACTED], Manager Floodplain Harvesting
8. [REDACTED], Senior Project Officer
9. [REDACTED], Senior Project Officer
10. [REDACTED], Senior Project Officer (minutes)

Apologies

[REDACTED], Director Healthy Floodplains

[REDACTED], Advisor to Committee

[REDACTED] Project Officer, DPIE-Water Healthy Floodplains

This meeting

No.	Issue	Action	Responsible
1	Meeting open 9:00am		
2	Declaration of conflict of interest	██████ – Standing declaration (no additional items to declare)	
3	Adoption of minutes dated 2 March 2021	Carried. Amend item 7 to 'noted' rather than 'endorsed'. Remove comments from ██████ regarding the environment under this item.	

<p>4</p>	<p>Review of submissions – Returning submissions</p> <p>M098 [REDACTED]</p> <p>N056 [REDACTED]</p> <p>N140 [REDACTED]</p> <p>N117 [REDACTED]</p> <p>N123 [REDACTED]</p> <p>N154 [REDACTED]</p> <p>N192 [REDACTED]</p> <p>N218 [REDACTED]</p> <p>N161 [REDACTED]</p> <p>N068 [REDACTED]</p> <p>N160 [REDACTED]</p> <p>N105 [REDACTED]</p> <p>N169 [REDACTED]</p> <p>M040 [REDACTED]</p>	<p>M098 [REDACTED] - Endorsed</p> <p>N117 [REDACTED] - Endorsed</p> <p>N154 [REDACTED] - Support issue 3 amending pump FPH point 11 from 500mm to 600mm with flow rate of 120ML/day.</p> <p>N192 [REDACTED] - Support issue 5 and 6</p> <p>N218 [REDACTED]g – Supported noting NSW Farmer representative ([REDACTED]) has not made a determination on this issue.</p> <p>N161 [REDACTED] - Do not support inclusion of field 53 as a temporary storage as it did not form part of development application pre 2008</p> <p>N056 [REDACTED] – Do not support the inclusion of field 4 and field 6 as temporary storages. Additional clarification regarding .5 freeboard required.</p> <p>N140 [REDACTED] – Do not support inclusion of field 4 as a temporary storage. Additional clarification regarding .5 freeboard required.</p> <p>N123 [REDACTED] – Do not support issue 1, OFS 1 due to lack of evidence.</p> <p>N154 [REDACTED] - Do not support issue 4 pump flow increase at</p>	<p>DPIE follow up N056, N140</p> <p>[REDACTED] to review N218 out of session</p> <p>[REDACTED] to obtain legal advice for N068 with consideration to the properties new boundaries and policy application</p> <p>M040 Issue 6 – [REDACTED] and [REDACTED] to respond out of session</p>
----------	---	---	---

No.	Issue	Action	Responsible
		<p>FPH point 13, capacity of pump to remain at 45mg/day.</p> <p>N192 [REDACTED] - Do not support issue 3, flow rates for 7 pumps to remain at DPIE normal flow rates.</p> <p>N068 [REDACTED] – Not endorsed issue 7 and 8, committee requested legal advice.</p> <p>N160 [REDACTED] – Support issue 4.</p> <p>N105 [REDACTED] – Support issue 6, the inclusion of channel and two pipes as FPH eligible works.</p> <p>N169 [REDACTED] – Issue 1, do not support field 10 as a temporary storage due to lack of evidence.</p> <p>Issue 2, do not support requested increase of pumps at FPH point 18. Statutory declaration invalid.</p> <p>M040 [REDACTED] – Issue 2, recommends FPH point 3 pipe remains at 1050mm.</p> <p>Issue 3, recommends FPH point 6 pipe remain at 900mm</p> <p>Issue 6 committee (excluding [REDACTED] and [REDACTED]) supports inclusion of surge field 8 and field 11 as temporary storage with combined volume of 300ML</p>	

Healthy Floodplains Review Committee



Meeting 40 minutes dated 17 March 2021

No.	Issue	Action	Responsible
5	Review of submissions – New submissions N060 [REDACTED] N203 [REDACTED]	N060 [REDACTED] – Issue 1, OFS 1 support increase from 530mm to 542mm. N203 [REDACTED] – Deferred to next meeting	[REDACTED] to consider N060 out of session- Endorsed 19 April 2021
6	Review of contested submissions – Contested submissions N033 [REDACTED] N044 [REDACTED] N219 [REDACTED] N021 [REDACTED]	Deferred to next week N033 [REDACTED] N044 [REDACTED] N219 [REDACTED] N021 [REDACTED]	
7	Final Probity Report	Noted	
8	Other Business Next Meeting – 23 March (via Microsoft Teams)	Noted	
	Meeting close 1:00pm		

Next meeting

23 March 2021 - 9:00am – Via Microsoft Teams